





Nordic Tug 32' Specifications

LOA	33' 10"	10.3 m	Shipping Height Rigged	14' 11"	4.5 m
Length Rigged	34' 11"	10.6 m	w/o Mast	12' 10"	3.9 m
LWL	32' 8"	10.0 m	w/o Stack	12' 9"	3.9 m
BOA	11' 1"	3.4 m	w/o Salon Rails	11' 10"	3.6 m
BWL	10' 0"	3.0 m	with Flybridge	13' 0"	4.0 m
Draft	3' 11"	1.2 m	*Shipping Height Excludes Trailer or Cart		
Freeboard:			Number of Berths	4	
Cockpit	2' 11"	0.9 m	Headroom		
Midships	3' 9"	1.1 m	Pilot House	6' 7"	2.0 m
Height above WL			Forward Cabin	6' 3"	1.9 m
- to Stack	10' 0"	3.0 m	Salon	6' 6"	2.0 m
- to Flybridge	10' 0"	3.0 m	Fluid Capacities:		
- to Mast Mount	8' 11"	2.7 m	Fuel	205 Gal	776 L
- to peak of bow	5' 8"	1.7 m	Potable Water	100 Gal	379 L
Displacement	15700 lb	7136 kg	Black Water	30 Gal	114 L
Standard Power	280 hp	209 KW	Gray Water	26 Gal	98 L

*Height dimensions are from the water line as marked by the painted boot stripe

**Weight figures reflect an average of previous boats as delivered with 1/3 Fuel and Water
Nordic Tugs Inc. 2007

DISTRIBUTED 1/4/2008 REVISED 1/4/2008







Nordic Tug 37' Specifications

LOA	38' 11"	11.9 m	Shipping Height Rugged	16' 7"	5.1 m
Length Rugged	40' 0"	12.2 m	w/o Mast	14' 10"	4.5 m
w/ pulpit	41' 3"	12.6 m	w/o Salon Rails	14' 6"	4.4 m
LWL	37' 4"	11.4 m	w/o Stack	13' 1"	4.0 m
BOA	12' 11"	3.9 m	with Flybridge	15' 7"	4.7 m
BWL	11' 9"	3.6 m	*Shipping Height Excludes Trailer or Cart		
Draft	4' 4"	1.3 m	Number of Berths	6	
Freeboard:			Headroom		
Cockpit	3' 5"	1.0 m	Pilot House	6' 6"	2.0 m
Midships	4' 0"	1.2 m	Forward Cabin	6' 7"	2.0 m
Height above WL			Salon	6' 7"	2.0 m
- to Stack	10' 11"	3.3 m	Fluid Capacities:		
- to Flybridge	12' 9"	3.9 m	Fuel	324 Gal	1226 L
- to Mast Mount	9' 7"	2.9 m	Potable Water	144 Gal	545 L
- to peak of bow	6' 2"	1.9 m	Black Water	32 Gal	121 L
Displacement	22600 lb	10273 kg	Gray Water	9 Gal	34 L
Standard Power	380 hp	283 KW			

*Height dimensions are from the water line as marked by the painted boot stripe

**Weight figures reflect an average of previous boats as delivered with 1/3 Fuel and Water
Nordic Tugs Inc. 2007

DISTRIBUTED 1/4/2008 REVISED 1/4/2008




Nordic Tug 42' Specifications

LOA	41' 9"	12.7 m	Shipping Height Riggged	19' 0"	5.8 m
Length Riggged	44' 8"	13.6 m	w/o Mast	16' 5"	5.0 m
w/ pulpit	46' 3"	14.1 m	w/o Salon Rails	16' 5"	5.0 m
LWL	40' 2"	12.2 m	w/o Stack	15' 1"	4.6 m
BOA	13' 10"	4.2 m	with Flybridge	18' 2"	5.5 m
BWL	12' 5"	3.8 m	*Shipping Height Excludes Trailer or Cart		
Draft	4' 7"	1.4 m	Number of Berths	6	
Freeboard:			Headroom		
Cockpit	4' 1"	1.2 m	Pilot House	6' 4"	1.9 m
Midships	4' 11"	1.5 m	Forward Cabin	6' 10"	2.1 m
Height above WL			Salon	6' 4"	1.9 m
- to Stack	12' 4"	3.8 m	Fluid Capacities:		
- to Flybridge	14' 0"	4.3 m	Fuel	600 Gal	2271 l
- to Mast Mount	11' 0"	3.4 m	Potable Water	200 Gal	757 l
- to peak of bow	8' 1"	2.5 m	Black Water	45 Gal	170 l
Displacement	31400 lb	14273 kg	Gray Water	20 Gal	76 l
Standard Power	540 hp	403 KW			

*Height dimensions are from the water line as marked by the painted boot stripe

**Weight figures reflect an average of previous boats as delivered with 1/3 Fuel and Water
Nordic Tugs Inc. 2007





DISTRIBUTED 1/4/2008 REVISED 1/4/2008



Nordic Tug 49' Specifications (Preliminary)

LOA	52' 3"	15.9 m	Shipping Height Rigged	21' 8"	6.6 m
Length Rigged	52' 8"	16.1 m	w/o Mast	18' 0"	5.5 m
LWL	48' 4"	14.7 m	w/o Stack	16' 9"	5.1 m
BOA	16' 1"	4.9 m	w/o Salon Rails	16' 9"	5.1 m
BWL	14' 10"	4.5 m	with Flybridge	20' 4"	6.2 m
Draft	3' 11"	1.2 m	*Shipping Height Excludes Trailer or Cart		
Freeboard:			Number of Berths		
Cockpit	5' 4"	1.6 m		4	
Midships	5' 6"	1.7 m	Headroom		
Height above WL			Pilot House	6' 10"	2.1 m
- to Stack	14' 8"	4.5 m	Master Cabin	6' 5"	2.0 m
- to Flybridge	17' 4"	5.3 m	Salon	6' 5"	2.0 m
- to Mast Mount	13' 3"	4.0 m	Fluid Capacities:		
- to peak of bow	8' 9"	2.7 m	Fuel	1000 Gal	3785 L
Running Bridge	20' 11"	6.4 m	Potable Water	400 Gal	1514 L
Clearance			Black Water	60 Gal	227 L
Displacement	45000 lb	20455 kg	Gray Water	60 Gal	227 L
Standard Power	610 hp	455 KW			

*Height dimensions are from the water line as marked by the painted boot stripe
 **Weight figures reflect an average of previous boats as delivered with 1/3 Fuel and Water
 Nordic Tugs Inc. 2007
 DISTRIBUTED 1/4/2008 REVISED 1/4/2008



Nordic Tug 54' Specifications

LOA	54' 2"	16.5 m	Shipping Height Rigged	26' 0"	7.9 m
Length Rigged	56' 10"	17.3 m	w/o Mast (retracted)	18' 10"	5.7 m
w/ pulpit	56' 10"	17.3 m	w/o Salon Rails	18' 4"	5.6 m
LWL	52' 6"	16.0 m	w/o Stack	NA	
BOA	16' 10"	5.1 m	with Flybridge	19' 2"	5.8 m
BWL	14' 9"	4.5 m	*Shipping Height Excludes Trailer or Cart		
Draft	5' 3"	1.6 m	Number of Berths	4-6	
Freeboard:			Headroom		
Cockpit	4' 11"	1.5 m	Pilot House	6' 10"	2.1 m
Midships	6' 3"	1.9 m	Master Cabin	6' 8"	2.0 m
Height above WL			Salon	6' 8"	2.0 m
- to Stack	NA		Fluid Capacities:		
- to Flybridge	18' 2"	5.5 m	Fuel	1300 Gal	4921 L
- to Mast Mount	11' 9"	3.6 m	Potable Water	300 Gal	1136 L
- to peak of bow	8' 8"	2.6 m	Black Water	130 Gal	492 L
Displacement	68000 lb	30909 kg	Gray Water	130 Gal	492 L
Standard Power	670 hp	500 KW			

*Height dimensions are from the water line as marked by the painted boot stripe

**Weight figures reflect an average of previous boats as delivered with 1/3 Fuel and Water
Nordic Tugs Inc. 2007